
Health needs assessment of homeless in Haringey



Key findings from a report by Dr Ruth Watt

Haringey 2013

“ Absolute poverty – a lack of the basic material necessities of life – continues to exist, even in the richest countries of Europe. The unemployed, many ethnic minority groups, guest workers, disabled people, refugees and homeless people are at risk. **Those living on the streets suffer the highest rates of premature death.** ”

(Wilkinson & Marmot, 2003:16)

Introduction

Aim was to explore the health needs of rough sleepers and those living in hostels in Haringey

Purpose was to make recommendations for consideration by housing and health commissioners

Objectives:

- ❑ Identify the population that are rough sleeping or in hostels in Haringey and their demographics
- ❑ Identify the priority health needs for this group
- ❑ Identify usage of emergency and acute services
- ❑ Identify any barriers to health services
- ❑ Identify the services out there already improving access to health services
- ❑ Identify areas of best practice


Why 50 homeless men are sleeping in a Tottenham church

New Economics Foundation report pinpoints how cuts are hitting England's most deprived wards, in London and Birmingham



Amelia Hill

The Guardian, Monday 19 November 2012 15:00 GMT



Share

Tweet this

+1 3



Share 0

Email



Article history

Society

Homelessness · Poverty · Benefits · Charities · Voluntary sector

UK news

Tottenham · London

Series

Breadline Britain

More from Breadline Britain on

Hea

£30,7


Swi

GRE

HOSI

FOUI

Brow



More from Breadline

Breadline Britain

Series

Tottenham · London



Haringey Council

Methodology

Expert views

- Interviews with staff and managers at local hostels, dual diagnosis and alcohol treatment services

Epidemiological evidence

- Literature review
- Best practise
- Analysis of local data, e.g. GP registrations database, National Drug Treatment Monitoring System

Benchmarking

- Benchmarking data from health services i.e. prevalence and service use data

Who do we mean by homeless

Conceptual Category	Operational Category
Roofless	Living rough
	In emergency accommodation
Houseless	In accommodation for the homeless
	People in women's shelters
	People in accommodation for immigrants
	People due to be released from institutions
	People receiving longer-term support (due to homelessness)
Insecure	People living in insecure accommodation
	People living under threat of eviction
	People living under threat of violence
Inadequate	People living in temporary/non-conventional structures
	People living in unfit housing
	People living in extreme overcrowding

Source: [Adapted from FEANTSA. European Typology of Homelessness and housing exclusion](#)

Homeless in Haringey – an overview

494

**Statutory homeless in
2010/11**

**60% of households
with dependent children**


**41% from black ethnic
groups**
(compared 19% in Haringey - Census 2011)

**Half lone
parents**
(From accepted
households)

Source: Community
Housing Service, 2012.

Rough sleepers in London

Vast majority
single men



Source: Chain, 2013

Half of all rough
sleepers in
England located in
London

Estimated

6,437

Source: Brodie, 2013

12%

women



Source: Chain, 2013

58%

aged 26-45

Source: Chain, 2013


Rough sleepers in Haringey

85 people sleeping rough


at least once in Haringey in 2012/13, with 76 being new individuals.

Source: CHAIN, 2012).

London Fire Brigade concerned about people sleeping in derelict buildings, garages and sheds in Haringey.



Hostel dwellers and rough sleepers in Haringey: Housing Related Support commissioned bed spaces 2012/13



Plus
YMCA North London
145 beds
(12 beds commissioned by the local authority already included in the chart)
20 beds in move-on flats

Homelessness and health

People without safe, secure affordable shelter experience more health problems than the general population

Short term conditions

Physical injuries and wounds

Dental

Life style factors

Drug dependence

Smoking

Alcohol misuse

Poor nutrition

Infectious diseases

Infections (HEP B/C, HIV)

TB

Inflammatory skin conditions

Mental ill health

Depression

Psychotic disorder

Dual diagnosis

Long term physical conditions

Heart and circulation problems

Physical trauma

Respiratory illness

Physical trauma



Prevalence of risk life style factors

SMOKING

85%

rough sleepers

68%

hostel clients

28%

General population

Source: Crosier, 2004; Ash, 2003

Over half

of hostel clients use drugs

Source: Homeless Link, 2010

Nearly

1 in 3



regularly eat less than 2 meals per day

Source: Homeless Link, 2010

32%

with alcohol dependency

Source: Bilton, 2008


Impact on health

LIFE EXPECTANCY

Rough sleepers **41**

General population men **79**

General population women **83**



Many die of treatable medical conditions

Source: Brodie, 2013, ONS, 2013

MENTAL HEALTH



7 out of 10 clients of homeless have a mental health need. Twice the rate compared to general population




General population

Source: Homeless Link, 2010

PHYSICAL HEALTH

80%
with physical health needs



long term conditions

Source: Homeless Link, 2010

Cost to the NHS



Numbers of hospital outpatient appointment “**did not attends are seven times higher**” compared with the general population.

Source: Perera & Rabee, 2013

Homeless people are **admitted to hospital four times as often** as the general population and **stay in hospital three times as long** resulting in unscheduled secondary care costs that are eight times higher than for patients who are not homeless.

Source: Department of Health, 2010

Local barriers to health services

27%

of rough sleepers have a NHS number, according to study by Inner North West London (INWL)

Source: Perera & Rabee, 2013

- **Registration with a GP-** proof of residency and photo ID – limited local guidance for health practitioners.
- **Getting homeless people to attend appointments**, poor experience of medical care and unreceptive environments, less capacity to get people to appointments
- **Lack of knowledge of the UK healthcare system**, e.g. Polish
- **Mental health services** - Regional PH Group for London (2010) found specific issues with access to mental health services: waiting times and rigid eligibility criteria. Findings corroborated by local reports from hostels.

Local issues

- **Availability** – A lack of provision for complex single homeless people, discharges from acute and mental trusts problematic when patients have nowhere to go
- **Access for homeless people** – Homeless providers report barriers getting clients through housing advice to the Vulnerable Adults Team , is it the way customers present?
- **Pathways** – Poor communication and therefore continuity of care between specialist health and homeless services
- **Services** – Inadequate in-reach services regarding cannabis, counselling and IAPT services
- **Mental health services** - Queenswood Medical Centre report difficulties when referring homeless clients to mental health services
- **Role of faith organisations** – Some faith groups are offering shelter in churches to homeless people independently of VAT and these have no input from health
- **Polish encampment** – people with no resource to public funds

Local services

- HRS -Single homeless projects with specialism's including substance misuse and mental health problems
- Street Rescue service one night per week, has access to a 'crash pad' then the above
- VAT sit on St Anne's discharge meeting
- Substance misuse service have minimal residency requirements, which also providing training and in reach into hostels
- Dual diagnosis service for clients with mental health and substance misuse issues
- TB van, mental health first aid training, health checks, smoking cessation , CAB
- Queenswood Medical Centre – close to YMCA hostel and praised for its work with homeless patients

Future projects for 2013

- Housing is redesigning its HRS pathway, includes a review of access to the VAT
- St Mungo's new provider of a substance misuse recovery service and will open the college part to all HRS residents
- Queenswood, satellite service from DASH, with a target on Cannabis use.
- The Dual Diagnosis to provide a peer led substance misuse services based in a local hostel
- Haringey Borough Commander of the London Fire Brigade will conduct a street count of all derelict buildings in the borough.
- North Middlesex hospital setting up a homeless discharge team.

....but no coherent unified strategy for health promotion, in primary, secondary or mental health services specifically looking at the needs of homeless people in Haringey

Recommendations – we need health to work with housing

Qualitative study (Hinton, 2000) identified a number of factors they felt were negatively affecting health of the homeless:

- ❑ sharing space and the strains of communal living in hostels
- ❑ lack of daytime occupation
- ❑ lack of health information
- ❑ limited access to food and cooking
- ❑ and little resident involvement in the management of the hostel which fosters the feeling of powerlessness


Improving living conditions in hostels and providing housing support may be the most effective intervention for better health outcomes



Recommendations

Strategic structures

- **Develop a local primary care model** for delivery of health and wellbeing for rough sleepers and hostel dwellers with key stakeholders, include community providers in the planning of services. (Next slide for models)
- **Develop mechanisms for commissioners and providers in housing, NHS and public health** – to develop joint commissioning, planning and training



Four models of homelessness primary care

Models developed by Professor McCormack ranges from mainstream and outreach services to fully integrated primary care:

Mainstream practices providing services for the homeless – for example a GP from a mainstream practice holds regular sessions for homeless people either in a drop-in centre or in his or her surgery.

Outreach team of specialist homelessness nurses – for example an outreach team of specialist nurses providing advocacy, support and relevant health care treatments, and sign-posting to dedicated GP clinics

Full primary care specialist homelessness team – for example a team of specialist GPs, nurses and other services providing dedicated and specialist care, either located in a hostel or a drop-in centre

Fully co-ordinated primary and secondary care – for example a team of specialists spanning primary and secondary care providing an integrated service including intermediate care beds and in-reach services to acute beds

Source: Office of the Chief Analyst, 2010

Recommendations

- **Exploit existing resources** – include health in housing pathway retendering, up-skill staff at hostels for health promotion activities, arrange health satellite services at hostels and Haringey winter shelters (church based rolling shelters).
- **Explore peer led options** – Groundswell have a Homeless Peer Advocacy project which aims to improve the health of homeless people through peer advocates. Peers offer clients 1:1 support and accompany clients to appointments, plus TB Peer Education project to support homeless and vulnerable people to get screened for TB.



Reference

- ASH. (n.d.). *Smoking statistics: who smoke and how much*. Retrieved July 3, 2013
- Bilton, H. (2008). [St Mungo's Health Report. Homelessness: it makes you sick.](#) London: St Mungo's.
- Brodie, C. (2013). *Literature Review for Rough Sleepers: health and healthcare*. London: NHS North West London.
- CHAIN. (2013). *Street to Home 1st April 2012 to 31st March 2013*. London: Broadway.
- Community Housing Service. (2012). *Haringey's Homelessness Strategy 2012-2014*. London: Haringey Council.
- Crosier, A. (2004). *Homeless, smoking and health*. London: Health Development Agency.
- Department of Health. (2010). *Inclusion health: improving primary care for socially excluded people*. London : Department of Health.
- Hinton, T. (2000). *The role of Housing and Support Workers in Promoting Health. A report of a Survey of Residential Projects for Single Homeless People in London.* . London: HPAP/Crisis.
- Homeless Link. (2010). [The Health and Wellbeing of People who are Homeless: Evidence from a National Audit.](#) London: Homeless Link.
- Office of the Chief Analyst. (2010). [Healthcare for Single Homeless People.](#) London: Department of Health
- Office of National Statistics (2013). [Interim Life Tables.](#) Office of National Statistics
- Perera, G., & Rabee, S. (2013). *Data Analysis for Rough Sleepers: health and health care*. London: NHS North London.
- Regional Public Health Group for London. (2010). [Overview of Health Services for Rough Sleepers in London. Report of Evidence Gathering and Stakeholder Engagement.](#) Retrieved July 3, 2013, from Homeless Link:
- Stevens, A., & Rafferty, J. (1994, 1997). *Health care needs assessment: the epidemiologically based needs assessment reviews Vol 1 and 2*. Oxford: Radcliffe Medical press.
- Wilkinson RG, Marmot M (2003) [Social determinants of health: the solid facts](#) 2nd Edition.